

# Setup Guide

**WARNING:**

- Drum key can be pinched when adjusting clamps with drum key. Operate carefully.
- Be careful around pipe ends, inside the pipe and screw ends. Metal shavings, etc. May injure your fingers.

## 1 Check the included items

### CYMBAL PADS BOX

Cymbal Pad x 1 (Hi-Hat)



Cymbal Pad x 1 (Ride)



Cymbal Pad x 1 (Crash with choke)




### HI-HAT PEDAL BOX

Hi-Hat Pedal




### DRUM PADS BOX

Tom Pad x 3



Snare Pad x 1




### DRUM MODULE BOX

Drum Module



### ACCESSORIES BOX

Cymbal Holder(L) x2




Cymbal Holder(R) x1



Hexagon Key




Drumstick x 2



Connection Cable X 9



Drum Key




Beater



Owner's Manual



AC Adaptor



Cable Holder x 5





### CABLE HOLDER



### BASS DRUM PEDAL BOX

Kick Pad


Foot Pedal



**Note:**

The pedal is specified as a configuration option to the product.


### STAND



## 2 Attach the Parts

### ATTACHING PADS TO RACK


1. Loosen wing nut on the holder clamp, which is on the center pipe(1), side arm(L2) and side arm(R).
2. Attach drum pads to the holder clamp on center pipe(1), side arm(L2), side arm(R) and tighten wing nuts. Repeat for each pad.



### ATTACHING CYMBALS



#### Attaching cymbal holders

1. Loosen wing nut on the holder clamp(L) on pillar(L), pillar(R) and side arm(L1).
2. Insert each cymbal holder into pillar(L), pillar(R), side arm(L1), and tighten wing nut.




#### Attaching cymbals

1. Remove wing nut and felt washer from cymbal tilter.
2. Place cymbal pad on tilter assembly. Re-attach the felt washer and wing nut. Tighten wing nut.



## ATTACHING MODULE

1. Loosen wing nut on the clamp, which is on side arm(L1).
2. Insert the drum module to the clamp .
3. Tighten the wing screw on the clamp .



## PEDAL / BASS DRUM

1. Place the pedal on the floor on your left side.
2. Place the Bass Drum on the floor to the right center of rack.
3. Please connect the clearly marked cables from the pads to the correct inputs on the drum module, and you are ready to play!

